

**CHEMREX® CONCRETE FLOOR PRIMER Part B**

Version 1.1

03/12/2004

**1. PRODUCT AND COMPANY INFORMATION**

Company : **Degussa Building Systems**  
889 Valley Park Drive  
Shakopee, MN 55379

Telephone : 952-496-6000

Emergency telephone number : (800) 424-9300  
(703) 527-3887 (Outside Continental US)

Product name : CHEMREX® CONCRETE FLOOR PRIMER Part B

MSDS ID No. : 10971

TSCA Inventory : All components of this product are included, or are exempt from inclusion, in the EPA Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Canadian DSL : All components of this product are included, or are exempt from inclusion, in the Canadian Domestic Substance List (DSL).

Product Use Description : Coating

**2. HAZARDOUS INGREDIENTS**

<u>Chemical</u>	<u>CAS No.</u>	<u>TLV</u>	<u>STEL</u>	<u>PEL</u>	<u>CEIL</u>	<u>Weight %</u>
ALIPHATIC POLYAMINE SOLUTION	Unknown	N.E.	N.E.	N.E.	N.E.	15.00 - 40.00 %
ETHYL-3-ETHOXY PROPIONATE	763-69-9	N.E.	N.E.	N.E.	N.E.	1.00 - 5.00 %
ISOPHORONE DIAMINE	2855-13-2	N.E.	N.E.	N.E.	N.E.	1.00 - 5.00 %

**3. HAZARDS IDENTIFICATION**

HMIS® Rating : HEALTH 2 FLAMMABILITY 1 PHYSICAL HAZARD 0

WHMIS Class : D2B

Primary Routes of Entry : Skin contact  
Eye contact  
Inhalation

**Effects of Overexposure**

Inhalation : Can cause slight irritation.

Skin : Can cause slight irritation. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May cause sensitization by skin contact.

Eyes : Can cause slight irritation.

Ingestion : Can cause slight irritation.

Chronic exposure : Existing respiratory or skin ailments may be aggravated by exposure.

**CHEMREX® CONCRETE FLOOR PRIMER Part B**

Version 1.1

03/12/2004

**Carcinogenicity**

	ACGIH	IARC	NTP	OSHA
ALIPHATIC POLYAMINE SOLUTION	N.E.	N.E.	N.E.	N.E.
ETHYL-3-ETHOXY PROPIONATE	N.E.	N.E.	N.E.	N.E.
ISOPHORONE DIAMINE	N.E.	N.E.	N.E.	N.E.

**4. FIRST AID MEASURES**

- Eye contact : Flush eyes with water, lifting upper and lower lids occasionally for 15 minutes. Seek medical attention.
- Skin contact : Remove contaminated clothing. Wash thoroughly with soap and water. If irritation persists seek medical attention. Wash contaminated clothing before reuse.
- Ingestion : Do not induce vomiting without medical advice. If conscious, drink plenty of water. If a person feels unwell or symptoms of skin irritation appear, consult a physician. If a person vomits, place him/her in the recovery position. Never give anything by mouth to an unconscious person.
- Inhalation : Remove victim from exposure. If difficulty with breathing, administer oxygen. If breathing has stopped administer artificial respiration, preferably mouth-to-mouth. Seek immediate medical attention.

**5. FIRE-FIGHTING MEASURES**

- Flash point : > 200.01 °F (93.34 °C) Method: SETAFLASH
- Autoignition temperature : no data available
- Lower explosion limit : no data available
- Upper explosion limit : no data available
- Suitable extinguishing media : carbon dioxide (CO2)  
dry chemical  
water fog
- Fire and Explosion Hazards : Containers can build up pressure if exposed to heat (fire). Cool closed containers exposed to fire with water spray.
- Special Fire-fighting Procedures : As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES**

- Methods for cleaning up : Wear appropriate protective equipment. Take action to eliminate source of leak; prevent from entry into open streams or sewers; contain spill by diking; vacuum up liquid or use absorbent media; remove to storage for disposal and rinse residual stain with water.

**7. HANDLING AND STORAGE**

- Handling : Keep out of reach of children. For personal protection see section 8.

## CHEMREX® CONCRETE FLOOR PRIMER Part B

Version 1.1

03/12/2004

Storage : Keep tightly closed.

---

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

---

Eye protection	:	Wear as appropriate: safety glasses with side-shields goggles face-shield
Hand protection	:	Wear as appropriate: impervious gloves
Body Protection	:	Wear as appropriate: impervious clothing preventive skin protection
Respiratory protection	:	In case of insufficient ventilation wear suitable respiratory equipment. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hygienic Practices	:	Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas. Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke. Handle in accordance with good industrial hygiene and safety practice.
Engineering Controls	:	Local exhaust ventilation can be necessary to control any air contaminants to within their TLVs during the use of this product.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

---

Color	:	translucent
Physical State	:	liquid
Odor	:	ammoniacal
pH	:	no data available
Odor Threshold	:	no data available
Vapor Pressure	:	no data available
Vapor Density	:	Heavier than air
Boiling point/range	:	194 - 338 °F (90 - 170 °C)
Freeze Point	:	no data available
Water solubility	:	partly miscible
Specific Gravity	:	1.04
Viscosity	:	no data available
Evaporation rate	:	Slower than Butyl acetate
Partition coefficient (n-octanol/water)	:	no data available

**CHEMREX® CONCRETE FLOOR PRIMER Part B**

Version 1.1

03/12/2004

VOC Concentration as applied : 118 g/l  
(less water and exempt solvents) Note: VOC concentration expressed as applied when all components are mixed and applied per manufacturer's instructions.

**10. STABILITY AND REACTIVITY**

Stability : Stable under recommended storage conditions.

Conditions to avoid : Prolonged exposure to high temperatures

Materials to avoid : strong acids  
strong bases  
strong oxidizing agents

Hazardous decomposition products : Thermal decomposition can lead to release of irritating gases and vapours.  
Oxides of carbon  
May form explosive peroxides.

Hazardous polymerization : Will not occur under normal conditions.

**11. TOXICOLOGICAL INFORMATION**

**Acute inhalation toxicity**

<u>Product</u>	<u>Type</u>	<u>Value</u>	<u>Species</u>	<u>Exposure time</u>
	LC50	no data available		
<u>Component</u>				
ALIPHATIC POLYAMINE SOLUTION	LC50	no data available		
ETHYL-3-ETHOXY PROPIONATE	LC50	no data available		
ISOPHORONE DIAMINE	LC50	no data available		

**Acute oral toxicity**

<u>Product</u>	<u>Type</u>	<u>Value</u>	<u>Species</u>
	LD50 (Oral)	no data available	
<u>Component</u>			
ALIPHATIC POLYAMINE SOLUTION	LD50 (Oral)	no data available	
ETHYL-3-ETHOXY PROPIONATE	LD50 (Oral)	no data available	
ISOPHORONE DIAMINE	LD50 (Oral)	no data available	

**Acute dermal toxicity**

<u>Product</u>	<u>Type</u>	<u>Value</u>	<u>Species</u>
	LD50 (Dermal)	no data available	

**CHEMREX® CONCRETE FLOOR PRIMER Part B**

Version 1.1

03/12/2004

Component

ALIPHATIC POLYAMINE SOLUTION	LD50 (Dermal)	no data available
ETHYL-3-ETHOXY PROPIONATE	LD50 (Dermal)	no data available
ISOPHORONE DIAMINE	LD50 (Dermal)	no data available

**12. ECOLOGICAL INFORMATION**

Ecotoxicological Information : There is no data available for this product.

**13. DISPOSAL CONSIDERATIONS**

Recommendations: Use excess product in an alternate beneficial application. Handle disposal of waste material in manner which complies with local, state, province and federal regulation.

**14. TRANSPORT INFORMATION**

DOT	: Proper shipping name	Not regulated
IATA	: Proper shipping name	Not regulated

**15. REGULATORY INFORMATION**

**SARA 311/312 (RTK)**

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendments and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

IMMEDIATE (ACUTE) HEALTH HAZARD DELAYED (CHRONIC) HEALTH HAZARD

**SARA 313**

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

<u>Weight %</u>	<u>CAS No.</u>	<u>Chemical Name</u>
-----------------	----------------	----------------------

This product contains no chemicals subject to the SARA 313 supplier notification requirements.

**CERCLA**

CERCLA section 103(a) specifically requires the person in charge of a vessel or facility to report immediately to the National Response Center (NRC) a release of a hazardous substance whose amount equals or exceeds the assigned RQ. The following hazardous substances are contained in this product.

<u>RQ</u>	<u>CAS No.</u>	<u>Chemical Name</u>
-----------	----------------	----------------------

No CERCLA chemicals exist in this product above reportable concentrations.

**TSCA Section 12(b) Export Notification**

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(b) if exported from the United States:

