

# MATERIAL SAFETY DATA SHEET

## LEVELQUIK LATEX PRIMER

### HMIS

HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	B

### 1. Product And Company Identification

**Supplier**  
**CUSTOM BUILDING PRODUCTS**  
 10400 Pioneer Blvd., Unit #3  
 Santa Fe Springs, CA 90670 UNITED STATES

**Company Contact:** GEORGE MARCINA  
**Telephone Number:** (562) 968-2980 Ext 103  
**FAX Number:** (562) 903-2697  
**E-Mail:** georgem@cbpmail.net  
**Web Site:** www.custombuildingproducts.com

**Manufacturer**  
**CUSTOM BUILDING PRODUCTS**  
 10400 Pioneer Blvd., Unit #3  
 Santa Fe Springs, CA 90670 UNITED STATES

**Company Contact:** GEORGE MARCINA  
**Telephone Number:** (562) 968-2980 Ext 103  
**FAX Number:** (562) 903-2697  
**E-Mail:** georgem@cbpmail.net  
**Web Site:** www.custombuildingproducts.com

**Supplier Emergency Contacts & Phone Number**  
 GEORGE MARCINA: (562) 968-2980

**Manufacturer Emergency Contacts & Phone Number**  
 GEORGE MARCINA: (562) 968-2980

**Issue Date:** 04/06/2006

**Product Name:** LEVELQUIK LATEX PRIMER  
**CAS Number:** Not Established  
**Chemical Formula:** Mixture  
**MSDS Number:** 538  
**Product Code:** 3020

### 2. Composition/Information On Ingredients

Ingredient Name	CAS Number	Percent Of Total Weight
ACRYLIC POLYMERS	Proprietary	25 - 35

### 3. Hazards Identification

**Primary Routes(s) Of Entry**

Eye , Skin Contact, Inhalation and Ingestion.

**Eye Hazards**

May cause eye irritation.

**Skin Hazards**

May cause skin irritation.

**Ingestion Hazards**

Harmful if swallowed. May cause gastrointestinal irritation, nausea and vomiting.

**Inhalation Hazards**

May cause nose, throat, and lung irritation.

**Conditions Aggravated By Overexposure**

May cause eye and skin irritation. May cause nose, throat and lung irritation. May cause gastronomic disturbances.

# MATERIAL SAFETY DATA SHEET

## LEVELQUIK LATEX PRIMER

### 4. First Aid Measures

#### Eye

Gently blot or wipe any residue remaining on the face, being careful not to get it in the victim's eyes or on skin. Hold eyelids apart and immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

#### Skin

Remove excess from the skin. Wash skin with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Thoroughly clean before reuse. Get medical attention immediately if irritation (redness, rash, blistering) develops and persists.

#### Ingestion

If swallowed, do not induce vomiting unless directed to do so by medical personnel. If victim is fully conscious, give one or two cups of water to dilute the effects. Get medical attention immediately. If there is any discomfort from ingestion, consult a physician.

#### Inhalation

If inhaled, remove to fresh air. Get medical attention immediately.

### 5. Fire Fighting Measures

**Flash Point:** NONE °F

**Flash Point Method:** NONE

**Lower Explosive Limit:** N/A

**Upper Explosive Limit:** N/A

#### Fire And Explosion Hazards

Material will not burn until all water has evaporated. Cans may burst open and splatter material if temperatures reach 212 deg F and above.

#### Extinguishing Media

Foam, CO<sub>2</sub>, Dry chemical, Water fog.

#### Fire Fighting Instructions

Firefighters should wear self-contained breathing apparatus and full protective gear.

### 6. Accidental Release Measures

Clean up spill immediately. Cover with absorbent to contain. Collect and dispose. Use appropriate containers to avoid environmental contamination. Avoid runoff to waterways and sewers. Avoid release to the environment.

Use appropriate personal protective equipment (PPE).

### 7. Handling And Storage

#### Handling And Storage Precautions

Store in cool, dry areas away from sunlight, heat and heat sources. Protect from freezing.

#### Work/Hygienic Practices

Wash thoroughly with soap and water after handling. Use good personal hygiene. Observe good housekeeping practices.

### 8. Exposure Controls/Personal Protection

#### Eye/Face Protection

Safety glasses with side shields or goggles recommended.

#### Skin Protection

Chemical-resistant gloves.

# MATERIAL SAFETY DATA SHEET

## LEVELQUIK LATEX PRIMER

### 8. Exposure Controls/Personal Protection - Continued

#### Respiratory Protection

General room ventilation is normally adequate. In case of inadequate ventilation, use NIOSH-approved respirator.

#### Other/General Protection

General ventilation is usually sufficient. Fan or other device maybe needed if used in small and enclosed areas.  
Adequate clothing to prevent skin contact.

### 9. Physical And Chemical Properties

#### Appearance

White liquid.

#### Odor

Mild acrylic or SBR odor.

**Chemical Type:** Mixture

**Physical State:** Liquid

**Boiling Point:** 212 °F 100 °C

**Specific Gravity:** 1.1

**Percent VOCs:** 0

**Vapor Density:** HEAVIER THAN AIR

**pH Factor:** 8

**Solubility:** Dilutable in water

**Viscosity:** Water like

**Evaporation Rate:** Slower than ether

### 10. Stability And Reactivity

**Stability:** Stable

**Hazardous Polymerization:** Will not occur

#### Conditions To Avoid (Stability)

Protect from freezing.

#### Incompatible Materials

Avoid contact with strong oxidizers.

#### Hazardous Decomposition Products

Thermal decomposition in air may result in carbon monoxide and / or carbon dioxide.

#### Conditions To Avoid (Polymerization)

Hazardous polymerization will not occur. Heat may cause pressure build-up in closed containers

### 11. Toxicological Information

#### Chronic/Carcinogenicity

May contain traces of chemicals listed in California Proposition 65.

#### Reproductive Effects

May contain trace amounts of chemicals that caused birth defects in animal studies. It did not cause harm to the animal or fetus when applied on skin.

#### Ingredient(s) - Toxicological Data

ACRYLIC POLYMERS

Oral LD 50 = >5000mg / kg - rat

Dermal LD 50 = > 5000 mg/kg - rabbit

**MATERIAL SAFETY DATA SHEET**  
**LEVELQUIK LATEX PRIMER**

**12. Ecological Information**

No Data Available...

**13. Disposal Considerations**

Dispose in accordance with applicable federal, state and local government regulations and industry standards.

**RCRA Information**

Not considered RCRA waste

**14. Transport Information**

**DOT Shipping Label**

Not Regulated

**15. Regulatory Information**

**Ingredient(s) - State Regulations**

ACRYLIC POLYMERS  
California - Proposition 65

**16. Other Information**

**HMIS Rating**

Health: 1

Fire: 0

Reactivity: 0

Personal Protection: B

**Revision/Preparer Information**

MSDS Preparer: GEORGE MARCINA

MSDS Preparer Phone Number: (562) 968-2980 ext 103

This MSDS Supersedes A Previous MSDS Dated: 11/07/2005

**Disclaimer**

THE INFORMATION PRESENTED HERE IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED TO BE, WHETHER ORIGINATING WITH THE COMPANY OR NOT. RECIPIENTS ARE ADVISED TO CONFIRM IN ADVANCE OF NEED, THAT THE INFORMATION IS CURRENT, APPLICABLE, AND SUITABLE TO THEIR CIRCUMSTANCES.

CUSTOM BUILDING PRODUCTS

Printed Using MSDS Generator™ 2000