

# MATERIAL SAFETY DATA SHEET

## TILE LAB GROUT HAZE REMOVER

### HMIS

HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	E

### 1. Product And Company Identification

#### Supplier

CUSTOM BUILDING PRODUCTS  
10400 Pioneer Blvd., Unit #3  
Santa Fe Springs, CA 90670 UNITED STATES

**Company Contact:** GEORGE MARCINA  
**Telephone Number:** (562) 968-2980 Ext 103  
**FAX Number:** (562) 903-2697  
**E-Mail:** georgem@cbpmail.net  
**Web Site:** www.custombuildingproducts.com

#### Manufacturer

CUSTOM BUILDING PRODUCTS  
10400 Pioneer Blvd., Unit #3  
Santa Fe Springs, CA 90670 UNITED STATES

**Company Contact:** GEORGE MARCINA  
**Telephone Number:** (562) 968-2980 Ext 103  
**FAX Number:** (562) 903-2697  
**E-Mail:** georgem@cbpmail.net  
**Web Site:** www.custombuildingproducts.com

#### Supplier Emergency Contacts & Phone Number

GEORGE MARCINA: (562) 968-2980

#### Manufacturer Emergency Contacts & Phone Number

GEORGE MARCINA: (562) 968-2980

**Issue Date:** 03/22/2006

**Product Name:** TILE LAB GROUT HAZE REMOVER

**CAS Number:** Not Established

**Chemical Formula:** Mixture

**MSDS Number:** 582

**Product Code:** 3062

### 2. Composition/Information On Ingredients

Ingredient Name	CAS Number	Percent Of Total Weight
GLYCOLIC ACID	79-14-1	5 - 15

### 3. Hazards Identification

#### Primary Routes(s) Of Entry

Inhalation  
Skin Contact  
Eye Contact  
Ingestion

#### Eye Hazards

Can cause eye corrosion with corneal or conjunctival ulceration. Can cause permanent eye injury.

#### Skin Hazards

Can cause severe skin irritation. Prolonged exposure can cause skin burns or ulceration.

#### Ingestion Hazards

Ingestion maybe harmful. Seek medical attention. Swallowing may cause corrosion of mucous membranes and stomach discomfort, nausea and prostration. Gross overexposure can cause kidney damage or even a fatality.

# MATERIAL SAFETY DATA SHEET

## TILE LAB GROUT HAZE REMOVER

### 3. Hazards Identification - Continued

#### Inhalation Hazards

Inhalation may cause irritation of mucous membranes and irritation of upper respiratory and bronchial tracts.

#### Subchronic (Target Organ Effects)

.

#### Chronic/Carcinogenicity Effects

### 4. First Aid Measures

#### Eye

In case of contact, hold eyelids apart and immediately flush eyes with plenty of water for at least 15 minutes. Remove individual to fresh air. Get medical attention immediately if irritation develops and persists.

#### Skin

In case of contact, immediately flush skin with plenty of water and wash with soap for at least 15 minutes. Remove contaminated clothing. Get medical attention immediately if irritation (redness, rash, blistering) develops and persists.

#### Ingestion

Get medical attention immediately. If the victim is unconscious or drowsy do not give anything by mouth. If the individual is conscious and alert, immediately rinse mouth with water and give 2 glasses of water to drink.

#### Inhalation

If inhaled, remove to fresh air. Consult a physician immediately. Do not give an unconscious person anything to drink. If necessary give artificial respiration. If breathing is difficult, give oxygen.

### 5. Fire Fighting Measures

**Flash Point:** N/A °F

**Flash Point Method:** N/A

**Lower Explosive Limit:** N/A

**Upper Explosive Limit:** N/A

#### Fire And Explosion Hazards

Material will not burn until dry.

#### Extinguishing Media

Foam, dry chemical, carbon dioxide, water.

#### Fire Fighting Instructions

Wear self contained breathing apparatus and protective suit.

### 6. Accidental Release Measures

Contain spill with inert material such as sand or earth. Transfer to suitable containers for disposal.

### 7. Handling And Storage

#### Handling And Storage Precautions

Use only with adequate ventilation.

#### Handling Precautions

Avoid contact with skin and clothing. Avoid contact with eyes. Wash contaminated clothing before re-use.

# MATERIAL SAFETY DATA SHEET

## TILE LAB GROUT HAZE REMOVER

### 7. Handling And Storage - Continued

#### **Storage Precautions**

Keep in cool and dry area.

#### **Work/Hygienic Practices**

Use good personal hygiene. Wash thoroughly with soap and water after handling.

### 8. Exposure Controls/Personal Protection

#### **Engineering Controls**

Use with adequate ventilation.

#### **Eye/Face Protection**

Safety glasses with side shields or goggles recommended.

#### **Skin Protection**

If hands or feet will be exposed, wear impervious gloves and/or boots.

#### **Respiratory Protection**

In case of inadequate ventilation and when exposed to dust above the recommended limits, wear a suitable NIOSH-approved respirator.

### 9. Physical And Chemical Properties

#### **Appearance**

Clear liquid

#### **Odor**

May have very slight odor.

**Chemical Type:** Mixture

**Physical State:** Liquid

**Boiling Point:** 210 °F 100 °C

**Specific Gravity:** 1.1

**Percent Volatiles:** 95

**Percent VOCs:** 74g/l

**Vapor Pressure:** Same as water

**Vapor Density:** N/A

**pH Factor:** 1 - 2

**Solubility:** Dilutable

**Viscosity:** Water like

**Evaporation Rate:** N/A

### 10. Stability And Reactivity

**Stability:** STABLE

**Hazardous Polymerization:** WILL NOT OCCUR.

#### **Conditions To Avoid (Stability)**

Avoid heat.

#### **Incompatible Materials**

Strong oxidizing agents.

### 11. Toxicological Information

No Data Available...

# MATERIAL SAFETY DATA SHEET

## TILE LAB GROUT HAZE REMOVER

<b>12. Ecological Information</b>
No Data Available...
<b>13. Disposal Considerations</b>
Dispose in accordance with applicable federal, state and local government regulations. <b>RCRA Information</b> Not considered RCRA Hazardous Waste.
<b>14. Transport Information</b>
<b>DOT Shipping Label</b> NOT REGULATED
<b>15. Regulatory Information</b>
<b>SARA Section 313 Notification</b>
<b>16. Other Information</b>
<b>HMIS Rating</b> Health: 1 Fire: 0 Reactivity: 0 Personal Protection: E <b>Revision/Preparer Information</b> MSDS Preparer: GEORGE MARCINA MSDS Preparer Phone Number: (323) 582-0846 This MSDS Supersedes A Previous MSDS Dated: 03/20/2006
<b>Disclaimer</b>
Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purposes(s).  CUSTOM BUILDING PRODUCTS

Printed Using MSDS Generator™ 2000