

# MSDS **Material Safety Data Sheet**

**Wilsonart International**



MSDS Number: 19941  
Page 1 of 4

**Wilsonart® Color Matched Caulk - Clear**

Revision Date: 07/20/09  
Revision No: 1

## 1 **PRODUCT AND COMPANY IDENTIFICATION**

**Common Name**      **Wilsonart® Color Matched Caulk - Clear**

**Manufacturer**      **WILSONART INTERNATIONAL, INC.**  
**P. O. BOX 6110 – 2400 WILSON PLACE**  
**TEMPLE, TX 76503**  
**INFORMATION PHONE: 800-433-3222 (USA)**

**Trade Name**      **Wilsonart® Color Matched Caulk - Clear**

**Material Uses**      **Caulk**

**In Case of Emergency Contact CHEMTREC: 800-424-9300 (USA)**  
**703-527-3887 (INTERNATIONAL)**

## 2 **HAZARDS IDENTIFICATION**

**Route of Entry:** Skin contact, eye contact, inhalation, and ingestion.

**Inhalation:** Breathing vapors may cause irritation to the respiratory tract. Inhalation of large concentrations may result in headache, dizziness, and nausea. May aggravate pre-existing respiratory conditions.


**Skin Contact:** May cause skin irritation. May aggravate pre-existing skin conditions.

**Eye Contact:** May cause eye irritation.

**Ingestion:** Not an expected route of entry. If ingested, product may cause irritation to the gastro-intestinal tract.

<b>HMIS (United States):</b>	
<b>HEALTH</b>	<b>1</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>REACTIVITY</b>	<b>0</b>
<b>PPE</b>	<b>B</b>

**NFPA (United States):**



**WHMIS (Canada):** Not classified as hazardous

## 3 **COMPOSITION/INFORMATION ON INGREDIENTS**

Product contains no hazardous ingredients.

## 4 **FIRST AID MEASURES**

**Inhalation:** Remove patient to fresh air. If patient is having difficulty breathing, seek immediate medical attention. If not breathing, clear airway and start mouth-to-mouth artificial respiration (or use bag-mask respirator). Seek immediate medical attention.

**Skin Contact:** Wash affected areas with soap and water. If irritation develops, seek medical attention.

**Eye Contact:** Flush eyes with water for 15 minutes. Remove contact lenses prior to water flush. If irritation persists, seek medical attention.

**Ingestion:** Not an expected route of entry. DO NOT induce vomiting. Seek immediate medical attention. DO NOT give anything by mouth to an unconscious person.

# MSDS **Material Safety Data Sheet**

**Wilsonart International**



MSDS Number: 19941  
Page 2 of 4

**Wilsonart® Color Matched Caulk - Clear**

Revision Date: 07/20/09  
Revision No: 1

## 5 FIRE FIGHTING MEASURES

**Flash Point:** Not Available.

**Flash Point Method:** Not Applicable.

**Autoignition Temp.:** Not Available.

**Burning Rate:** Not Available.

**LEL:** Not Available.

**UEL:** Not Available.

**Flammability Classification:** Not Flammable

**Hazardous Products of Combustion:** Carbon Oxides (CO and CO<sub>2</sub>), Nitrous Oxides, and various Hydrocarbons.

**Special Remarks:** Use extinguishing media appropriate for surrounding fire. Wear fire protective equipment appropriate for the surrounding fire.

## 6 ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Wear appropriate PPE.

**Environmental Precautions:** Keep out of sewer and drains.

**Clean-up Methods:** Absorb spilled product with vermiculite, dry sand, or earth and allow to solidify.

## 7 HANDLING AND STORAGE

**Handling Precautions:** Wear appropriate PPE. If used indoors, make sure to provide adequate ventilation to prevent vapor build-up. Wash hands after use.

**Storage Requirements:** Keep container closed when not in use. Store in a cool dry well-ventilated area between 40°F and 80°F (4°C and 27°C).

## 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering Controls:** Provide adequate ventilation. Ensure that a working eyewash and safety shower are in the work area.

**Protective Equipment:** Wear safety glasses with side shields and neoprene or rubber gloves. In case of insufficient ventilation, wear an approved (NIOSH) respirator with organic vapor cartridge and dust/mist pre-filter. In case of extended skin contact or known skin sensitivity, chemical resistant gloves are recommended.

Consult local authorities and regulations for exposure limits.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** White paste or clear solid

**Physical State:** Liquid

**Boiling Point:** ~ 212°F (100°C)

**Percent Volatile:** 37% by weight

**Solubility:** Partially soluble in water

**Specific Gravity / Density:** 1.05

**VOC:** < 4 g/L

**Odor:** Mild acrylic odor

**Freezing / Melting point:** ~ 32°F (0°C)

**pH:** ~ 7.9

**Vapor Pressure:** 15 mm Hg @ 20°C

**Vapor Density:** > 1 (water vapor = 1)

## 10 STABILITY AND REACTIVITY

**Stability:** Product is stable as supplied. Product cures upon contact with air.

**Conditions to Avoid:** Extreme temperatures.

**Materials to Avoid (Incompatibility):** None known.

**Hazardous Polymerization:** Will not polymerize.

# MSDS **Material Safety Data Sheet**

**Wilsonart International**



MSDS Number: 19941  
Page 3 of 4

**Wilsonart® Color Matched Caulk - Clear**

Revision Date: 07/20/09  
Revision No: 1

## 11 TOXICOLOGICAL INFORMATION

**Acute Toxicity to Animals:** This product has not been tested for animal effects. No additional information.  
**Chronic Toxicity to Animals:** This product has not been tested for animal effects. No additional information.  
**Acute Toxicity to Humans:** This product has not been tested for human effects. No additional information.  
**Chronic Toxicity to Humans:** This product has not been tested for human effects. No additional information.  
**Carcinogenic Effects:** Not Available.  
**Mutagenic Effects:** Not Available.  
**Teratogenic Effects:** Not Available.  
**Developmental Toxicity:** Not Available.

## 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** Not Available. This product not expected to be ecotoxic.  
**BOD5 and COD:** Not Available.  
**Biodegradable / OECD:** Not Available  
**Toxicity of the Products of Biodegradation:** Not Available

## 13 DISPOSAL CONSIDERATIONS

Spilled, contaminated, or waste material should be allowed to solidify and dispose of in an appropriate landfill.  
Dispose of in accordance with Federal, State, and local regulations.

## 14 TRANSPORT INFORMATION

**Restrictions:** None known.  
**DOT Requirements:** Not a DOT controlled material (United States).  
**ADR Requirements:** Not an ADR controlled material (Europe).  
**IMDG Requirements:** Not an IMDG controlled material.  
**IATA Requirements:** Not an IATA controlled material.  
**Marine Pollutant:** Not expected to be a marine pollutant.

## 15 REGULATORY INFORMATION

### U.S. Federal Regulations

Chemical (& CAS Number)	SARA 302 (EHS)TPQ	SARA 304 (EHS)Rq	SARA 313 <i>de minimis</i>	CERCLA Rq	CAA 112(r) TQ	RCRA Code
None						

All quantities in pounds

### State Regulations

Chemical (& CAS Number)	CA Prop 65	MA RTK	MN RTK	NJ RTK	PA RTK	RI RTK
None						

### International Regulations

**DSL (Canada):** The chemicals in this product are listed.  
**EINECS:** None.  
**WHMIS:** Not Controlled.

## 16 OTHER INFORMATION

### References

Lewis, R. J., **Rapid Guide to Hazardous Chemicals in the Workplace**, 4<sup>th</sup> ed., Wiley-Interscience, New York, 2000.

# MSDS **Material Safety Data Sheet**

**Wilsonart International**



MSDS Number: 19941  
Page 4 of 4

Wilsonart® Color Matched Caulk - Clear

Revision Date: 07/20/09  
Revision No: 1

NIOSH Pocket Guide to Chemical Hazards, Department of Health and Human Services, National Institute for Occupational Safety and Health, 2007.  
Patty's Toxicology, 5<sup>th</sup> ed. John Wiley & Sons, Inc. 2001.  
TLVs and BEIs, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Agents, ACGIH Worldwide, Cincinnati, 2007.

## Glossary

ACGIH – American Conference of Governmental Industrial Hygienists  
ASTM – American Society for Testing and Materials  
ADR – Agreement on Dangerous Goods by Road (Europe)  
BOD5 – Biological Oxygen Demand in 5 days  
CAA – Clean Air Act  
CAS – Chemical Abstracts Services  
CEPA – Canadian Environmental Protection Act  
CERCLA – Comprehensive Environmental Response, Compensations and Liability Act  
CFR – Code of Federal Regulations  
CWA – Clean Water Act  
DOT – Department of Transportation  
DSCCL – Dangerous Substances Classification and Labeling (Europe)  
DSL – Domestic Substance List (Canada)  
EEC/EU – European Economic Community/European Union  
EINECS – European Inventory of Existing Commercial Chemical Substances  
HCS – Hazard Communication System  
HMIS – Hazardous Material Information System  
IARC – International Agency for Research on Cancer  
LD50/LC50 – Lethal Dose/Concentration kill 50%  
LDLo/LCLo – Lowest Published Lethal Dose/Concentration  
NFPA – National Fire Prevention Association  
NIOSH – National Institute for Occupational Safety & Health  
NTP – National Toxicology Program  
OSHA – Occupational Safety & Health Administration  
PEL – Permissible Exposure Limit  
RCRA – Resource Conservation and Recovery Act  
SARA – Superfund Amendments and Reorganization Act  
STEL – Short Term Exposure Limit (15 minutes)  
TDG – Transportation of Dangerous Goods (Canada)  
TLV-TWA – Threshold Limit Value-Time Weighted Average  
TSCA – Toxic Substances Control Act  
WHMIS – Workplace Hazardous Material Information System

## Notice to Reader

*To the best of our knowledge, the information contained herein is accurate. However, neither the above named manufacturer nor any of its subsidiaries assumes any liability whatsoever for accuracy or completeness of the information contained herein.*

*Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*

---

END OF MSDS DOCUMENT